

CS 115 Exam 3, Spring 2014

Your name: _____

Rules

- You may use one handwritten 8.5 x 11" cheat sheet (front and back). This is the only resource you may consult during this exam.
 - Explain/show work if you want to receive partial credit for wrong answers.
 - As long as your code is correct, you will get full credit. No points for style.
 - When you write code, be sure that the indentation level of each statement is clear.
-

	Your Score	Max Score
Problem 1: Binary search		10
Problem 2: Selection sort		10
Problem 3: Recursion		10
Problem 4: 2D lists		15
Problem 5: Defining classes		30
Problem 6: Using classes		25
Total		100

Reference code for Problems 1 and 2

The 3 functions below are just for your reference on Problems 1 and 2. You do not need to read them if you understand the algorithms.

```
# binary_search()
# Finds the position of an item in a list
# Parameters: the list; the item to search for
# Returns: the item's position (or None)
def binary_search(search_list, value_to_find):
    first = 0
    last = len(search_list) - 1

    while first <= last:
        middle = (first + last) // 2
        # Problem 1: state the values of first, last,
        # and middle at this point in the code
        if value_to_find == search_list[middle]:
            return middle
        elif value_to_find < search_list[middle]:
            last = middle - 1
        else:
            first = middle + 1
    return None

def selection_sort(list_to_sort):
    for i in range(len(list_to_sort) - 1):
        min_index = find_min_index(list_to_sort, i)
        list_to_sort[i], list_to_sort[min_index] =
            list_to_sort[min_index], list_to_sort[i]
        # Problem 2: Show list contents at this point

def find_min_index(L, s):
    min_index = s
    for i in range(s, len(L)):
        if L[i] < L[min_index]:
            min_index = i
    return min_index
```

Problem 1: Binary search (10 points)

Consider the following sorted list:

```
L = ['grape',  
     'jicama',  
     'kumquat',  
     'lychee',  
     'mango',  
     'orange',  
     'potato',  
     'quince',  
     'raspberry',  
     'spinach']
```

and the binary search code on page 2. You may want to label the elements of L with their numeric index values before proceeding.

(a) Fill out the following table tracing a binary search for 'grape' in this list, according to the comment in the code. **You should fill out one row per iteration of the loop.** If there are more rows than iterations, leave the extra rows blank.

Iteration	Value of first	Value of last	Value of middle	Value of L[middle]
1				
2				
3				
4				
5				

(b) Fill out the following table tracing a binary search for 'taco' in this list.

Iteration	Value of first	Value of last	Value of middle	Value of L[middle]
1				
2				
3				
4				
5				

Problem 2: Selection sort (10 points)

Consider the following list:

```
L = ['it',  
     'is',  
     'way',  
     'too',  
     'early',  
     'for',  
     'a',  
     'test']
```

In the diagrams below, show the contents of the list after each of the first 4 iterations of the for-loop in `selection_sort`. If the list does not change from one iteration to the next, you can write “SAME” for the next iteration.

INDEX	INITIAL ORDER	AFTER i=0 ITERATION	AFTER i=1	AFTER i=2	AFTER i=3
0	it				
1	is				
2	way				
3	too				
4	early				
5	for				
6	a				
7	test				

Problem 3: Recursion (10 points)

Consider the following function definition:

```
def magic(s1): # parameter is a string or list
    if len(s1) == 0:
        return 0
    if s1[0].lower() == 's':
        return 1 + magic(s1[1:])
    return magic(s1[1:])
```

A. What does the following function call return?

```
L = []
magic(L)
```

B. Show the chain of recursive calls, and state what the final return value is for the call:

```
magic('chess')
```

C. How would you summarize what this function does in just a few words?

Don't explain the code line-by-line. Provide a higher-level description like "adds x and y" or "computes x factorial."

Problem 4: 2D lists (15 points)

For this problem, assume that L is a 2D list and that every element of L is the same length (i.e., L contains the same number of rows and columns).

(a) Finish this function definition, as specified:

```
def column_check(L, num):  
    # Assumes that L is a 2D list of numbers.  
    # Returns True if each column of L adds up to a  
    #     value greater than or equal to num.  
    # Returns False if one or more columns of L add up  
    #     to a value less than num.
```

(b) Finish this function definition, as specified:

```
def count_X(L):  
    # Returns the number of times 'X' or 'x' appears  
    # as an element of the 2D list L.
```

Problem 5: Creating classes (30 points)

In this problem, you will define a class to represent a dieter's daily food intake and exercise.

If you use the `input()` or `print()` functions in your solution to this problem, you're doing it wrong!

Your class should be named `Dieter`, and you should define the following methods:

`__init__`: This method initializes a `Dieter` object.

- Parameter: the dieter's target number of calories for the day
- Initializes: the dieter's target number of calories and the number of calories the dieter has consumed.

`__str__`: This method returns a string with the dieter's target number of calories and the number they have left to consume, formatted **exactly** as follows:

Target: 1400; Consumed: 1200; Remaining: 200

or

Target: 1400; Consumed: 1500; Excess: 100

`reset`: Resets the number of calories to 0. Doesn't return anything.

`add_meal`: Takes the number of calories in a meal as a parameter and adds it to the number consumed. Doesn't return anything.

`add_exercise`: Takes the calories burned as a parameter and subtracts it from the number consumed. Doesn't return anything.

`remaining`: Returns the number of calories the dieter has left to consume; can be negative if the dieter has consumed more calories than the target amount.

The last page of this exam has extra space for you to write your solution.

Problem 6: Using classes (25 points)

For this problem, you must write a **complete program**. However, you can assume that the `Dieter` class from Problem 5 has already been correctly defined for you.

To earn full credit, you must use the methods of the `Dieter` class whenever possible.

Read the instructions carefully before you start coding!

Your program should do the following. You can assume that the user enters non-negative integer inputs.

- Ask the user how many dieters live in their household.
- Prompt the user for each dieter's calorie target, and create a `Dieter` object for each person.
- Ask the user how many meals they ate today. You can assume that everyone in the household ate exactly the same things.
- Prompt the user for the number of calories in each meal.
- Ask the user how many calories they burned today.
- Print an updated report for each dieter. For example:

```
Dieter 1:  
Target: 1400; Consumed: 1200; Remaining: 200
```

```
Dieter 2:  
Target: 1500; Consumed: 1200; Remaining: 300
```

The last page of this exam has extra space for you to write your solution.

[EXTRA SPACE FOR PROBLEMS 5 AND 6]

[EXTRA SPACE FOR PROBLEMS 5 AND 6]