

Computing Fibonacci Numbers with and without Dynamic Programming

Generated by Doxygen 1.9.0

Chapter 1

File Index

1.1 File List

Here is a list of all documented files with brief descriptions:

fibonacci.c	??
-----------------------------	-------	----

Chapter 2

File Documentation

2.1 fibonacci.c File Reference

```
#include <stdio.h>
#include <time.h>
```

Functions

- int [fibSeq1](#) (int n)
- int [fibSeq2Helper](#) (int n, int fibArr[])
- int [fibSeq2](#) (int n)
- int [main](#) ()

2.1.1 Detailed Description

Remarks
computation and timing of elements of the Fibonnaci sequence * using the basic recurisve formula for the sequence * with and without dynamic prog. *
•
Author
Henry M. Walker *
•
Date
August 14, 2022 *
•
Remarks
References *
Dynamic Programming: Anany Levitin, "The Design and * and Analysis of Algorithms", Second Edition, * Chapter 8: Dynamic Programming *
Dynamic Programming: Anany Levitin, "The Design and * and Analysis of Algorithms", Second Edition, * Section 2.5: Example: Computing the nth Fibonacci Number *
•
People participating with Problem/Progra Discussions: * None *
•

2.1.2 Function Documentation

2.1.2.1 fibSeq1()

```
int fibSeq1 (
    int n )
```

compute the nth fibonacci number directly, * using the recursive definition of the sequence *

Parameters

<i>n</i>	the nth Fibonacci number to be computed * (starting the sequence at index 0) *
----------	--

Precondition

$0 \leq n$ *

Returns

the nth Fibonacci number *

2.1.2.2 fibSeq2()

```
int fibSeq2 (
    int n )
```

compute the nth fibonacci number, * using the recursive definition and dynamic programming *

Parameters

<i>n</i>	the nth Fibonacci number to be computed * (starting the sequence at index 0) *
----------	--

Precondition

$0 \leq n$ *

Returns

the nth Fibonacci number *

2.1.2.3 fibSeq2Helper()

```
int fibSeq2Helper (
    int n,
    int fibArr[] )
```

helper function to compute the nth fibonacci number, * using the recursive definition and dynamic programming *

Parameters

<i>n</i>	the nth Fibonacci number to be computed * (starting the sequence at index 0) *
<i>fibArr</i>	an initialize array, recording * Fibonacci numbers already computed *

Precondition

$0 \leq n \leq 1 + \text{length of fibArr array}$ *

Returns

the nth Fibonacci number *

2.1.2.4 main()

`int main ()`
main procedure controls computation, timing, and printing *
